


KINETIC

Bike Parking That Fits



EZ-Carousel[™] Spec Sheet



Features & Benefits:

- Proven technology
- Carousel-based
- Indoor and outdoor
- 24/7 accessibility
- Registered FOB access
- Any type of bike
- Stackable; saves space
- Rentals or owned
- Customizable
- Made in The Netherlands

Specifications:

Capacity: 24 bikes

Power: 120V/230V

Internet: Wireless

FOB: RFID MIFARE 1K

Diameter: 18.0' [5.5 m]

Height: 16.3' [1.9 m]





EZ-Carousel[™] Spec Sheet



Materials:

- Rotatable bottom frame Aluminum
- Frame Steel (80x80x5), galvanized
- Center module Steel
- Bicycle gutters Aluminum, anodized
- Bicycle clamps Stainless steel
- Custom panels ~ Steel (3 mm)
- Roof ~ Steel (3 mm), powder coated
- Sliding door Stainless steel
- User panels Stainless steel





Automated Carousel







Indoor






Outdoor





Custom Solutions









Thank You!

Contact us for a quote or layout.

solutions@kineticbikeparking.com

1-800-818-2373



Bike Parking That Fits

Kinetic Parking Solutions Inc. is the exclusive North American Distribution and Reseller Partner for Lo Minck Systemen BV, Lisserbroek, The Netherlands.