

# EZ-CHARGE™

## Battery Charging Locker

### Secure & Versatile

Kinetic's EZ-Charge™ battery charging locker securely charges bicycle batteries and small devices with a 120V or 230V socket. It can be configured with four or eight compartments that can fit standard batteries with chargers.

The lockers are made of stainless steel with a digital pin code lock that keeps personal items safe and secure. The standard version is best for indoor use while the water-resistant lock version is ideal for sheltered outdoor use.


The lockers are easy to install and level, with adjustable feet for uneven surfaces. You can fix it to the ground or mount it on a wall.

**Experience the Kinetic difference.**



# KINETIC


# 4 Compartments



## SPECIFICATIONS

- Overall dimensions (DxWxH):  
22.25" x 15.75" x 39.25" [565x400x997 mm]
- Compartment dimensions (DxWxH):  
16.85" x 13.75" x 8.25" [428x349x209 mm]
- Door opening dimensions (WxH):  
6" x 13.75" [152x349 mm]
- 4 individual lockable compartments
- 4 sockets
- 120V or 230V
- Contact us for electrical details
- Material: Stainless Steel 304
- Panels: 0.04" [1 mm]
- Door: 0.06" [1.5 mm]
- Air circulation

# 8 Compartments



## SPECIFICATIONS

- Overall dimensions (DxWxH): 22.25" x 15.75" x 74.75" [565x400x1,899 mm]
- Compartment dimensions (DxWxH): 16.85" x 13.75" x 8.25" [428x349x209 mm]
- Door opening dimensions (WxH): 6" x 13.75" [152x349 mm]
- 8 individual lockable compartments
- 8 sockets
- 120V or 230V
- Contact us for electrical details
- Material: Stainless Steel 304
- Panels: 0.04" [1 mm]
- Door: 0.06" [1.5 mm]
- Air circulation

# Digital Pin Code Lock

Each compartment of Kinetic's EZ-Charge™ battery charging locker comes with a battery-powered Digital Pin Code Lock. The lock can be set for private or public use, allowing users keyless access and the ability to create their own code. An administrator can always access the locker using a master code or a mechanical key.



## SPECIFICATIONS

- 4-digit user code
- 6-digit master code (6-digit Sub Master Code, 6-digit Technical Code)
- 80,000 open/close on 1 battery
- Low battery warning (LED flashes)
- Mechanical emergency opening with key
- Suitable for indoor locations
- Audible **BEEP** at key pressure (can be switched off)
- Optional automatic opening when time is exceeded
- LED-indicator

Call Kinetic for a Quote or Custom Design Layout

**1-800-818-2373**