EZ-Up™ Assisted Lift Vertical Rack

PRODUCT CODE

10101347

CAPACITY

1 Bike or eBike up to 65 lbs. (29.5 kg)

MATERIALS

Steel

MINIMUM HEIGHT

76.75" (195 cm)

WEIGHT

20 lbs. (9 kg)


FINISHES


- □ Powder Coated ANY STANDARD RAL
- □ Galvanized
- □ Stainless

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the <u>APBP Bicycle Parking Guide</u> or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.





EZ-Hang™ Vertical Rack – Round Tube

PRODUCT CODE

10101300

CAPACITY

1 Bike

MATERIALS

Round Steel Pipe 1.625" OD (Ø41.3 mm)

THICKNESS

0.091" (2.3 mm)

WEIGHT

16.98 lbs. (7.71 kg)

FINISHES

- □ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101303
- □ Stainless


OPTION


□ Tamper proof nuts

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the APBP Bicycle Parking Guide or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.





EZ-Hang™ Vertical Rack – Rectangular Tube



10101304

CAPACITY

1 Bike

MATERIALS

Rectangular Steel Tube 0.98" x 1.97" (25 mm x 50 mm)

THICKNESS

0.098" (2.5 mm)

WEIGHT

19.47 lbs. (8.84 kg)

FINISHES

- ☐ Powder Coated ANY STANDARD RAI
- ☐ Galvanized 10101307
- □ Stainless

OPTION

□ Tamper proof nuts

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the <u>APBP Bicycle Parking</u> <u>Guide</u> or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.

